


Non Soft Close Butterfly Concealed Hinge

EF-NB5302

Product Description

- Opening angle: 110°
- Diameter of hinge cup: 35mm
- Cup depth: 11.5mm
- Drilling dimension on the door: 3~7mm
- Range for door thickness: 16~22mm
- Material: Steel
- Finish: Nickel plated




Soft Close Butterfly Concealed Hinge

EF-HB5305

Product Description

- Opening angle: 110°
- Diameter of hinge cup: 35mm
- Cup depth: 11.5mm
- Drilling dimension on the door: 3~7mm
- Range for door thickness: 16~22mm
- Material: Steel
- Finish: Nickel plated




Soft Close Easy Mount Hinge

EF-HE5307

Product Description

- Opening angle: 90°
- Material: Steel
- Screw -mounted
- Side panel thickness from 16 to 22mm



Product Description


- Opening angle: 110°
- Diameter of hinge cup: 35mm
- Cup depth: 11.5mm
- Drilling dimension on the door: 3~7mm
- Range for door thickness: 16~22mm
- Material: Steel
- Finish: Nickel plated



Full overlay




EF-H5304A



Half overlay




EF-H5304B



Inset



EF-H5304C



Product Description


- Opening angle: 110°
- Diameter of hinge cup: 35mm
- Cup depth: 11.5mm
- Drilling dimension on the door: 3~7mm
- Range for door thickness: 16~22mm
- Material: Steel
- Finish: Nickel plated



Full overlay




EF-N5301A



Half overlay




EF-N5301B



Inset



EF-N5301C



Product Description


- Opening angle: 165 °
- Diameter of hinge cup: 35mm
- Cup depth: 11.5mm
- Drilling dimension on the door: 3~7mm
- Range for door thickness: 16~22mm
- Material: Steel
- Finish: Nickel plated



Full overlay




EF-N165A



Half overlay




EF-N165B



Inset



EF-N165C



Product Description


- Opening angle: + 30 °, +45 °, +90 °
- Diameter of hinge cup: 35mm
- Cup depth: 11.5mm
- Drilling dimension on the door: 4~7mm
- Range for door thickness: 16~22mm
- Material: Steel
- Finish: Nickel plate



30° Angle




EF-H30



45° Angle



EF-H45



90° Angle



EF-H90



Product Description


- Opening angle: 165 °
- Diameter of hinge cup: 35mm
- Cup depth: 11.5mm
- Drilling dimension on the door: 3~7mm
- Range for door thickness: 16~22mm
- Material: Steel
- Finish: Nickel plated



Full overlay




EF-H165A



Half overlay




EF-H165B



Inset



EF-H165C



Product Description


- Opening angle : 105°
- Diameter of the hinge cup: 35mm
- Cup depth: 11.3mm
- Drilling dimension on the door: 3~7mm
- Range for door thickness: 16~22mm
- Material: Steel
- Finish: Nickle plated



Full overlay



EF-H5304 3D A



Half overlay



EF-H5304 3D B



Inset



EF-H5304 3D C

